




REVISION				
REV	DESCRIPTION	DRAWN	APPR	DATE
IR	Initial Registration	E.H.KIM	I.C.KIM	2014.05.27.
1	[설번No.201407-0003]업체요청(길이 변경)	E.H.KIM	I.C.KIM	2014.07.14.

CTQ Point

도금 측정 관리
Point(BODY/PIN)



NOTE

★★★ 1. 도금 사양

-BODY : 하지 Ni ($2\mu\text{m} \sim 7\mu\text{m}$)

Gold ($0.06\mu\text{m} \sim 2\mu\text{m}$)

-CONTACT : 하지 Ni ($2\mu\text{m} \sim 7\mu\text{m}$)

Gold ($1.27\mu\text{m} \sim 2\mu\text{m}$)

2. 상대물과의 삽입력과 이탈력



- 삽입력 : 2Kgf 이상

- 이탈력 : 4Kgf 이상



3	INSULATOR	1	TEFLON		DIN02397-N/1
2	CONTACT	1	MBsBD	Note 참조	DCT03140-5/1
1	BODY	1	MBsBD	Note 참조	DBD03641-5/1
NO.	DESCRIPTION	Q'TY	MATERIAL	PLATING	CODE

TOLERANCE	Decimal	DATE 2014. 07. 14.			 KJ COMTECH CO.,LTD.	RF & MICROWAVE TECHNOLOGY Tel : 82-32-347-8015 Fax : 82-32-347-8017			
	Angle	APPROVED BY	I.C.KIM						
MATERIAL	$\pm 1^{\circ}$	CHECKED BY	-			TITLE SMB50 PCB JS-4R			
	_____	DRAWN BY	E.H.KIM						
FINISH	_____	SCALE	5/1	UNIT		A4	DWG NO.	CN03232-7/1	
			mm	REVISION			1	SHEET	1 of 1

REVISION				
REV	DESCRIPTION	DRAWN	APPR	DATE
IR	Initial Registration	E.H.KIM	I.C.KIM	2014.08.18.




-B-



NOTES : (UNLESS OTHERWIES SPECIFIED)




- 10 SPROCKET HOLE PITCH CUMULATIVE TOL ± 0.2
- CAMBER NOT TO EXCEED 1mm IN 250mm.
- MATERIAL : CLEAN-NON CONDUCTIVE POLYSTYRENE.
- Ao & Bo MEASURED ON A PLANE 0.3mm ABOVE THE BOTTOM OF THE POCKET.
- Ko MEASURED FROM A PLANE ON THE INSIDE BOTTOM OF THE POCKET TO THE TOP SURFACE OF THE CARRIER.
- POCKET POSITION RELATIVE TO SPROCKET HOLE MEASURED AS TRUE POSITION OF POCKET , NOT POCKET HOLE.
- ALL DIMENSIONS ARE IN MILLIMETERS.
- NO OF POCKET : 680

TOLERANCE	Decimal	DATE 2014. 08. 18.		 RF & MICROWAVE TECHNOLOGY Tel : 82-32-347-8015 Fax : 82-32-347-8017
	Angle	APPROVED BY	I.C.KIM	
MATERIAL	POLYSTYRENE	CHECKED BY		TITLE -
		DRAWN BY	E.H.KIM	
FINISH		SCALE	2/1	CARRIER TAPE SMB DWG NO. CPA00105-N/1 REVISION I R SHEET 1 of 1
		UNIT	mm	




REVISION				
REV	DESCRIPTION	DRAWN	APPR	DATE
1R	Initial Registration	I.C.KIM		2014.10.23.

MAT'L = P.S (COLOR : BLUE/BLACK)





TOLERANCE		DATE		 RF & MICROWAVE TECHNOLOGY Tel : 82-32-347-8015 Fax : 82-32-347-8017			
Decimal	Angle	2014. 10. 23.					
.X = ±0.1	±1°	APPROVED BY	TITLE				
.XX = ±0.05							
MATERIAL	CHECKED BY	TAPE & REEL					
PLATING	DRAWN BY						
	I.C.KIM						
PAINTING	SCALE	UNIT	A3				
	N/S	mm					
			DWG NO. CPA00105-N/1				
			REVISION I R SHEET 1 of 1				

REVISION		
REV	DESCRIPTION	DATE
IR	Initial Registration	2015. 08. 19.




TAPE&REEL 2REEL
SMB CONNECTOR 1,000EA



주기

500EA/1REEL, 2REEL/1BOX(s), 5BOX(s)/1BOX(L)
수량에 맞춰 포장할 것

TOLERANCE	Decimal * ± 0.13 ** ± 0.10	DATE 2015. 08. 19.			 RF & MICROWAVE TECHNOLOGY Tel : 82-32-347-8015 Fax : 82-32-347-8017			
	Angle $\pm 1^\circ$	APPROVED BY						
MATERIAL	_____	CHECKED BY	TITLE 포장사양					
		DRAWN BY						
FINISH	_____	SCALE N/S	UNIT mm		A4	DWG NO.		
						REVISION	I R	SHEET 1 of 1