


■ SMA 4Way Power Divider(10W) PD00423-7/1 (2630~2655MHz)

1. RF MEASUREMENT DATA


TR1 : SUM PORT VSWR, TR2: P1 PORT VSWR, TR3; INSERTION LOSS

8 Feb 2010 16:52:56




TR1 : SUM PORT VSWR, TR2: P2 PORT VSWR, TR3; INSERTION LOSS

8 Feb 2010 16:53:13




■ SMA 4Way Power Divider(10W) PD00423-7/1 (2630~2655MHz)

TR1 : SUM PORT VSWR, TR2: P3 PORT VSWR, TR3; INSERTION LOSS




TR1 : SUM PORT VSWR, TR2: P4 PORT VSWR, TR3; INSERTION LOSS




■ SMA 4Way Power Divider(10W) PD00423-7/1 (2630~2655MHz)

TR1 : P1 PORT VSWR, TR2: P2 PORT VSWR, TR3; ISOLATION



TR1 : P1 PORT VSWR, TR2: P4 PORT VSWR, TR3; ISOLATION





■ SMA 4Way Power Divider(10W) PD00423-7/1 (2630~2655MHz)

TR1 : P3 PORT VSWR, TR2: P4 PORT VSWR, TR3; ISOLATION

8 Feb 2010 16:59:47

CH1 SWR 100 m / REF 1
S11 2: 1.1013 2 642.500 000 MHz

CH2 SWR 100 m / REF 1
S33 2: 1.1381 2 642.500 000 MHz



CH4 S31 LOG 10 dB/REF 0 dB

2: -23.600 dB 2 642.500 000 MHz

