



■ SMA 4WAY POWER DIVIDER PD00424-7/1 (474~794MHz)

1. RF MEASUREMENT DATA

TR1: SUM PORT VSWR, TR2: P1 PORT VSWR, TR3: INSERTION LOSS (SUM-P1)




TR1: SUM PORT VSWR, TR2: P2 PORT VSWR, TR3: INSERTION LOSS (SUM-P2)




■ SMA 4WAY POWER DIVIDER PD00424-7/1 (474~794MHz)

TR1: SUM PORT VSWR, TR2: P3 PORT VSWR, TR3: INSERTION LOSS (SUM-P3)




TR1: SUM PORT VSWR, TR2: P4 PORT VSWR, TR3: INSERTION LOSS (SUM-P4)




■ SMA 4WAY POWER DIVIDER PD00424-7/1 (474~794MHz)

TR1: P1 PORT VSWR, TR2: P2 PORT VSWR, TR3: ISOLATION (P1-P2)



TR1: P1 PORT VSWR, TR2: P4 PORT VSWR, TR3: ISOLATION (P1-P4)



■ SMA 4WAY POWER DIVIDER PD00424-7/1 (474~794MHz)

TR1: P3 PORT VSWR, TR2: P4 PORT VSWR, TR3: ISOLATION (P3-P4)

22 Feb 2010 15:25:42

CH1 SWR 100 m / REF 1
S11 2: 1.0289 632.000 000 MHz

CH2 SWR 100 m / REF 1
S22 2: 1.0237 632.000 000 MHz

