



▪ SMA 4Way Power Divider PD00428-7/1 (474~794MHz)

1. RF MEASUREMENT DATA

TR1 : SUM PORT VSWR, TR2 : 1 PORT VSWR, TR3 : INSERTION LOSS(SUM-1)




TR1 : SUM PORT VSWR, TR2 : 2 PORT VSWR, TR3 : INSERTION LOSS(SUM-2)




■ SMA 4Way Power Divider PD00428-7/1 (474~794MHz)

TR1 : SUM PORT VSWR, TR2 : 3 PORT VSWR, TR3 : INSERTION LOSS(SUM-3)




TR1 : SUM PORT VSWR, TR2 : 4 PORT VSWR, TR3 : INSERTION LOSS(SUM-4)




■ SMA 4Way Power Divider PD00428-7/1 (474~794MHz)

TR1 : 1 PORT VSWR, TR2 : 2 PORT VSWR, TR3 : ISOLATION(1-2)



TR1 : 1 PORT VSWR, TR2 : 4 PORT VSWR, TR3 : ISOLATION(1-4)



▪ SMA 4Way Power Divider PD00428-7/1 (474~794MHz)

TR1 : 3 PORT VSWR, TR2 : 4 PORT VSWR, TR3 : ISOLATION(3-4)

