


▪ SMA 4WAY POWER DIVIDER PD00474-7/1 (700~2700MHz)


1. RF MEASUREMENT DATA

TR1 : SUM PORT VSWR, TR2: P1 PORT VSWR, TR3: INSERTION LOSS(SUM-P1)




TR1 : SUM PORT VSWR, TR2: P2 PORT VSWR, TR3: INSERTION LOSS(SUM-P2)

▪ SMA 4WAY POWER DIVIDER PD00474-7/1 (700~2700MHz)




■ SMA 4WAY POWER DIVIDER PD00474-7/1 (700~2700MHz)

TR1 : SUM PORT VSWR, TR2: P3 PORT VSWR, TR3: INSERTION LOSS(SUM-P3)




TR1 : SUM PORT VSWR, TR2: P4 PORT VSWR, TR3: INSERTION LOSS(SUM-P4)




▪ SMA 4WAY POWER DIVIDER PD00474-7/1 (700~2700MHz)

TR1 : P1 PORT VSWR, TR2: P2 PORT VSWR, TR3: ISOLATION(P1-P2)



TR1 : P1 PORT VSWR, TR2: P4 PORT VSWR, TR3: ISOLATION(P1-P4)



- SMA 4WAY POWER DIVIDER PD00474-7/1 (700~2700MHz)

▪ SMA 4WAY POWER DIVIDER PD00474-7/1 (700~2700MHz)

