

650~2600MHz 3Way Power Divider




- KJ Comtech Code : PD00586-7/1
- SMA
- 650~2600MHz

1. Electrical & Mechanical Specification


Electrical Specifications	
Type	3Way Divider
Connector	SMA (F)
Frequency Range	650~2600MHz
Insertion Loss	≤5.8dB
VSWR	≤1.3 : 1
Isolation	≥18dB
Power Handling	1W
Impedance	50Ω
Mechanical Specifications	
Dimensions(mm)	99.0 x 58.0 x 13.0
Connector Finish	Nickel-plate
Housing Finish	White Chromate

2. RF Measurement Data


TR1: SUM Port VSWR, TR2: P1 Port VSWR, TR3; SUM-P1 Port Insertion Loss




TR1: SUM Port VSWR, TR2: P2 Port VSWR, TR3; SUM-P2 Port Insertion Loss




TR1: SUM Port VSWR, TR2: P3 Port VSWR, TR3; SUM-P3 Port Insertion Loss



TR1: P1 Port VSWR, TR2: P2 Port VSWR, TR3; P1-P2 Port Isolation



TR1: P1 Port VSWR, TR2: P3 Port VSWR, TR3; P1-P3 Port Isolation



TR1: P2 Port VSWR, TR2: P3 Port VSWR, TR3; P2-P3 Port Isolation

