


N Type 4Way Power Divider



- KJ Comtech Code : PD00623-7/1
- N-Type (F)
- 460~6000MHz


1. Electrical & Mechanical Specification

Electrical Specifications	
Type	4Way Divider
Connector	N-Type(F)
Frequency Range	460~6000MHz
Insertion Loss	≤7.8dB
Isolation	≥15 dB
VSWR	≤1.5 : 1
Power Handling	1 W
Impedance	50Ω
Mechanical Specifications	
Dimensions(mm)	103.2 x 183.3 x 23.0
Operating Temperature	-40~+85°C


2. RF Measurement Data

1) SAMPLE1


TR1: SUM Port VSWR, TR2: P1 Port VSWR, TR3: SUM-P1 Port Insertion Loss




TR1: SUM Port VSWR, TR2: P2 Port VSWR, TR3: SUM-P2 Port Insertion Loss




TR1: SUM Port VSWR, TR2: P3 Port VSWR, TR3: SUM-P3 Port Insertion Loss




TR1: SUM Port VSWR, TR2: P4 Port VSWR, TR3: SUM-P4 Port Insertion Loss



TR1: P1 Port VSWR, TR2: P2 Port VSWR, TR3: P1-P2 Isolation



TR1: P2 Port VSWR, TR2: P3 Port VSWR, TR3: P2-P3 Isolation



TR1: P1 Port VSWR, TR2: P2 Port VSWR, TR3: P3-P4 Isolation

